EAST Search History

Ref #	Hits	Search Query	earch Query DBs		Plurals	Time Stamp	
L1	0	"7039921"	US-PGPUB; USPAT; USOCR	OR	ON	2006/04/26 09:14	
L2	4579	logger	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OR ON 2006/04/26		
L3	44	logger near5 trigger\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/04/26 09:23	
L4	35	I3 and location	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/04/26 09:16	
L5	150	logger near5 trac\$3	rac\$3 US-PGPUB; OR ON USPAT; USOCR; EPO; JPO		2006/04/26 09:23		
L6	133	I5 and location	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON 2006/04/26 0		
L7	65	I5 and location and trigger\$3 and event	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/04/26 09:24	
L8	64	I5 and location and trigger\$3 and event and detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/04/26 09:24	
L9	61	I5 and location and trigger\$3 and event and detect\$3 and enabl\$3	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/04/26 09:32	
L10	14	(detect\$3 near4 event) and (enabl\$3 near4 logger)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	OR ON 2006/04		
L11	0	(detect\$3 and event) and (enabl\$3 near4 logger) and (adjust\$3 near4 frequen\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/04/26 09:34	
L12	56	(detect\$3 and event) and (logger) uS-PGPUB; OR on and (adjust\$3 near4 frequen\$3) USPAT; uSOCR; EPO; JPO		ON	2006/04/26 09:34		

EAST Search History

L13	28	(detect\$3 near5 event) and (logger) and (adjust\$3 near4 frequen\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/04/26 09:35	
L14	39	(dynamic\$6 near4 configur\$6 near5 (logger or logging))	ear5 US-PGPUB; OR ON 2006 USPAT; USOCR; EPO; JPO		2006/04/26 09:56		
L15	1	"5714997".PN.	USPAT; USOCR	·		2006/04/26 09:56	
L16	1	"5683090".PN.	USPAT; USOCR	OR	ON	2006/04/26 09:56	
L17	1	"5659350".PN.	USPAT; USOCR	OR	ON	2006/04/26 09:56	
L18	43	"5857190"	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/04/26 09:56	
L19	2	"5857190" and logger	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/04/26 09:57	



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: © The ACM Digital Library C The Guide

+logger +location +detect +event +enable +frequency

SEARCH

the acm digital library

Feedback Report a problem Satisfaction survey

Terms used logger location detect event enable frequency

Found 23 of 175.083

Sort results by

relevance Display expanded form results

Save results to a Binder Search Tips Open results in a new

window

Try an Advanced Search Try this search in The ACM Guide

Results 1 - 20 of 23

Result page: 1 2 next

Relevance scale

Enlarge and enhance the view with video, audio and sensor networks: Towards event



detection in an audio-based sensor network

Alan F. Smeaton, Mike McHugh

November 2005 Proceedings of the third ACM international workshop on Video surveillance & sensor networks VSSN '05


Publisher: ACM Press

Full text available: pdf(779.69 KB) Additional Information: full citation, abstract, references, index terms

In this paper, we describe an experiment where we gathered audio information from a series of conventional wired microphones installed in a typical university setting. We also obtained visual information from cameras located in the same area. We set out to see if audio analysis could be used to assist our existing visual event detection system, and to note any improvements. We were not concerned with identifying or classifying what was detected in the audio. Our aim was to keep audio processing ...

Keywords: audio surveillance, security monitoring, sensor networks

2 Systems 1: A wireless sensor network For structural monitoring



November 2004 Proceedings of the 2nd international conference on Embedded networked sensor systems

Publisher: ACM Press

Full text available: pdf(731.28 KB) Additional Information: full citation, abstract, references, index terms

Structural monitoring---the collection and analysis of structural response to ambient or forced excitation--is an important application of networked embedded sensing with significant commercial potential. The first generation of sensor networks for structural monitoring are likely to be data acquisition systems that collect data at a single node for centralized processing. In this paper, we discuss the design and evaluation of a wireless sensor network system (called Wisden for structural dat ...

Keywords: Wisden, sensor network, structural health monitoring

3 Safely executing untrusted code: Model-carrying code: a practical approach for safe execution of untrusted applications





R. Sekar, V.N. Venkatakrishnan, Samik Basu, Sandeep Bhatkar, Daniel C. DuVarney October 2003 Proceedings of the nineteenth ACM symposium on Operating systems principles

Publisher: ACM Press

Additional Information: full citation, abstract, references, citings, index Full text available: pdf(301.30 KB) terms

This paper presents a new approach called model-carrying code (MCC) for safe execution of untrusted code. At the heart of MCC is the idea that untrusted code comes equipped with a concise high-level model of its security-relevant behavior. This model helps bridge . the gap between high-level security policies and low-level binary code, thereby enabling analyses which would otherwise be impractical. For instance, users can use a fully automated verification procedure to determine if the code ...

Keywords: mobile code security, policy enforcement, sand-boxing, security policies

4 Using GPS to learn significant locations and predict movement across multiple users Daniel Ashbrook, Thad Starner



October 2003 Personal and Ubiquitous Computing, Volume 7 Issue 5

Publisher: Springer-Verlag

Full text available: pdf(747.53 KB) Additional Information: full citation, abstract, citings, index terms

Wearable computers have the potential to act as intelligent agents in everyday life and to assist the user in a variety of tasks, using context to determine how to act. Location is the most common form of context used by these agents to determine the user's task. However, another potential use of location context is the creation of a predictive model of the user's future movements. We present a system that automatically clusters GPS data taken over an extended period of time into meaningful loca ...

Keywords: Context, GPS, Location aware computing, Schedule prediction

5 Logiam: a tangible multi-person interface for video logging



Jonathan Cohen, Meg Withgott, Philippe Piernot

May 1999 Proceedings of the SIGCHI conference on Human factors in computing systems: the CHI is the limit

Publisher: ACM Press


Full text available: pdf(1.18 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> terms

This paper describes the evolution, implementation, and use of logiam, a system for video logging. The system features a game-board that senses the location and identities of pieces placed upon it. The board is the interface that enables a group of people to log video footage together. We report on some of the surprising physical and social dynamics that we have observed in multi-person logging sessions using the system.

Keywords: 2D sensing/tracking, CSCW, TUI, tangible user interfaces, user experience, video ethnography, video logging

6 The state of the art in automating usability evaluation of user interfaces



Melody Y. Ivory, Marti A Hearst
December 2001 ACM Computing Surveys (CSUR), Volume 33 Issue 4

Publisher: ACM Press



Full text available: pdf(2.31 MB)

Additional Information: full citation, abstract, references, citings, index terms, review

Usability evaluation is an increasingly important part of the user interface design process. However, usability evaluation can be expensive in terms of time and human resources, and automation is therefore a promising way to augment existing approaches. This article presents an extensive survey of usability evaluation methods, organized according to a new taxonomy that emphasizes the role of automation. The survey analyzes existing techniques, identifies which aspects of usability evaluation aut ...

Keywords: Graphical user interfaces, taxonomy, usability evaluation automation, web interfaces

Business-to-business interactions: issues and enabling technologies
 B. Medjahed, B. Benatallah, A. Bouguettaya, A. H. H. Ngu, A. K. Elmagarmid
 May 2003 The VLDB Journal — The International Journal on Very Large Data Bases,

Publisher: Springer-Verlag New York, Inc.

Full text available: pdf(558.34 KB) Additional Information: full citation, abstract, citings, index terms

Business-to-Business (B2B) technologies pre-date the Web. They have existed for at least as long as the Internet. B2B applications were among the first to take advantage of advances in computer networking. The Electronic Data Interchange (EDI) business standard is an illustration of such an early adoption of the advances in computer networking. The ubiquity and the affordability of the Web has made it possible for the masses of businesses to automate their B2B interactions. However, several issu ...

Keywords: B2B Interactions, Components, E-commerce, EDI, Web services, Workflows, XML

8 Wireless and mobility: Habitat monitoring: application driver for wireless

communications technology

Alberto Cerpa, Jeremy Elson, Deborah Estrin, Lewis Girod, Michael Hamilton, Jerry Zhao April 2001 **ACM SIGCOMM Computer Communication Review**, Volume 31 Issue 2 supplement

Publisher: ACM Press

Full text available: pdf(2.46 MB) Additional Information: full citation, abstract, references, citings

As new fabrication and integration technologies reduce the cost and size of micro-sensors and wireless interfaces, it becomes feasible to deploy densely distributed wireless networks of sensors and actuators. These systems promise to revolutionize biological, earth, and environmental monitoring applications, providing data at granularities unrealizable by other means. In addition to the challenges of miniaturization, new system architectures and new network algorithms must be developed to transf ...

Keywords: applications, low-power wireless, sensor networks, testbeds

9 Networking experience: Understanding packet delivery performance in dense

wireless sensor networks

Jerry Zhao, Ramesh Govindan

November 2003 Proceedings of the 1st international conference on Embedded networked sensor systems

Publisher: ACM Press

Full text available: pdf(501.89 KB)

Additional Information: full citation, abstract, references, citings, index terms

Wireless sensor networks promise fine-grain monitoring in a wide variety of environments. Many of these environments (e,q,...) indoor environments or habitats) can be harsh for wireless communication. From a networking perspective, the most basic aspect of wireless communication is the packet delivery performance: the spatio-temporal characteristics of packet loss, and its environmental dependence. These factors will deeply impact the performance of data acquisition from these networks. In th ...

Keywords: low power radio, packet loss, performance measurement

10 Measurement tools: Robust synchronization of software clocks across the internet

Darryl Veitch, Satish Babu, Attila Pàsztor

October 2004 Proceedings of the 4th ACM SIGCOMM conference on Internet measurement

Publisher: ACM Press

Full text available: pdf(1.59 MB) Additional Information: full citation, abstract, references, index terms

Accurate, reliable timestamping which is also convenient and inexpensive is needed in many important areas including real-time network applications and network measurement. Recently the TSC register, which counts CPU cycles in popular PC architectures, was proposed as the basis of a new software clock which in terms of rate performance performs as well as more expensive GPS alternatives. Smooth and precise clock rate is essential to measure time <i>differences</i> accurately. We show ...

Keywords: GPS, NTP, network measurement, round-trip time, software clock, synchronization, timing

11 Systems: The networked sensor tapestry (NeST): a privacy enhanced software

architecture for interactive analysis of data in video-sensor networks Douglas A. Fidaleo, Hoang-Anh Nguyen, Mohan Trivedi

October 2004 Proceedings of the ACM 2nd international workshop on Video surveillance & sensor networks

Publisher: ACM Press

Full text available: pdf(674.07 KB) Additional Information: full citation, abstract, references, index terms

This paper details the architecture of a test-bed under development for secure sharing, capture, distributed processing, and archiving of surveillance data called the Networked Sensor Tapestry (NeST). The test-bed consists of core software modules including a centralized server, client interface library, a layered XML messaging scheme. Mobile hardware clients are interfaced to the NeST using a Tiny-OS based microcontroller with sensor data collected over a 1-wire data bus. Maintaining subject ...

Keywords: privacy, surveillance architecture, video-sensor networks

12 A bluetooth based sensor network for civil infrastructure health monitoring

Vipin Mehta, Magda El Zarki

July 2004 Wireless Networks, Volume 10 Issue 4

Publisher: Kluwer Academic Publishers

Full text available: pdf(307.57 KB) Additional Information: full citation, abstract, references, index terms

Communicating with sensors has long been limited either to wired connections or to proprietary wireless communication protocols. Using a ubiquitous and inexpensive wireless communication technology to create Sensor Area Networks (SANs) will accelerate the extensive deployment of sensor technology. Bluetooth, an emerging, worldwide standard for inexpensive, local wireless communication is a viable choice for SANs

because of its inherent support for some of the important requirements-low power, sm ...

Keywords: bluetooth, link strength, load balancing, power consumption, scatternet, scheduling, simulated annealing, timing accuracy, topology design

13 Experiences with network-based user agents for mobile applications
Thomas F. La Porta, Thomas Woo, Krishan K. Sabnani, Ramachandran Ramjee
August 1998 Mobile Networks and Applications, Volume 3 Issue 2

Publisher: Kluwer Academic Publishers

Full text available: pdf(631.57 KB)

Additional Information: full citation, abstract, references, citings, index terms

Wireless networks are characterized by simple end devices and limited bandwidth. One solution to address these and other limitations of the wireless mobile environment that has been widely pursued is the placement of proxies, or agents, inside the network to assist with application processing that would normally take place on end devices. These agents can additionally manipulate data to reduce bandwidth requirements and assist in providing services. The design and implementation of a user a ...

14 <u>Deployment experience: A macroscope in the redwoods</u>

Gilman Tolle, Joseph Polastre, Robert Szewczyk, David Culler, Neil Turner, Kevin Tu, Stephen Burgess, Todd Dawson, Phil Buonadonna, David Gay, Wei Hong

November 2005 Proceedings of the 3rd international conference on Embedded networked sensor systems SenSys '05

Publisher: ACM Press

Full text available: pdf(5.12 MB) Additional Information: full citation, abstract, references, index terms

The wireless sensor network "macroscope" offers the potential to advance science by enabling dense temporal and spatial monitoring of large physical volumes. This paper presents a case study of a wireless sensor network that recorded 44 days in the life of a 70-meter tall redwood tree, at a density of every 5 minutes in time and every 2 meters in space. Each node measured air temperature, relative humidity, and photosynthetically active solar radiation. The network captured a detailed picture of ...

Keywords: application analysis, macroscope, microclimate monitoring, wireless sensor networks

15 <u>Self-configuring localization systems: Design and Experimental Evaluation</u>

Nirupama Bulusu, John Heidemann, Deborah Estrin, Tommy Tran
February 2004 ACM Transactions on Embedded Computing Systems (TECS), Volume 3
Issue 1

Publisher: ACM Press

Full text available: pdf(261.39 KB)

Additional Information: full citation, abstract, references, citings, index terms

Embedded networked sensors promise to revolutionize the way we interact with our physical environment and require scalable, ad hoc deployable and energy-efficient node localization/positioning. This paper describes the motivation, design, implementation, and experimental evaluation (on sharply resource-constrained devices) of a *self-configuring* localization system using radio beacons. We identify beacon *density* as an important parameter in determining localization quality, which sat ...

Keywords: Location, localization, self-configuration, sensor networks

16 Technical papers: software maintenance: Concern graphs: finding and describing



concerns using structural program dependencies

Martin P. Robillard, Gail C. Murphy

May 2002 Proceedings of the 24th International Conference on Software Engineering

Publisher: ACM Press

Full text available: pdf(1.35 MB)

Additional Information: full citation, abstract, references, citings, index terms

Many maintenance tasks address concerns, or features, that are not well modularized in the source code comprising a system. Existing approaches available to help software developers locate and manage scattered concerns use a representation based on lines of source code, complicating the analysis of the concerns. In this paper, we introduce the Concern Graph representation that abstracts the implementation details of a concern and makes explicit the relationships between different parts of the co ...

17 Communication systems: A second-generation sensor network processor with



application-driven memory optimizations and out-of-order execution Leyla Nazhandali, Michael Minuth, Bo Zhai, Javin Olson, Todd Austin, David Blaauw September 2005 Proceedings of the 2005 international conference on Compilers, architectures and synthesis for embedded systems CASES '05

Publisher: ACM Press

Full text available: pdf(183.09 KB) Additional Information: full citation, abstract, references, index terms

In this paper we present a second-generation sensor network processor which consumes less than one picoJoule per instruction (typical processors use 100's to 1000's of picoJoules per instruction). As in our first-generation design effort, we strive to build microarchitectures that minimize area to reduce leakage, maximize transistor utility to reduce the energy-optimal voltage, and optimize CPI for efficient processing. The new design builds on our previous work to develop a low-power subthresho ...

Keywords: energy efficiency, memory organization, microprocessor, sensor network

18 Lessons learned from the design and execution of a federation for joint



experimentation Anita A. Zabek

> December 1999 Proceedings of the 31st conference on Winter simulation: Simulation---a bridge to the future - Volume 2

Publisher: ACM Press

Full text available: pdf(68.76 KB) Additional Information: full citation, references, index terms

19 Operating systems for sensor networks: A dynamic operating system for sensor



🏔 <u>nod</u>es

Chih-Chieh Han, Ram Kumar, Roy Shea, Eddie Kohler, Mani Srivastava June 2005 Proceedings of the 3rd international conference on Mobile systems, applications, and services MobiSys '05

Publisher: ACM Press

Full text available: pdf(418.07 KB) Additional Information: full citation, abstract, references

Sensor network nodes exhibit characteristics of both embedded systems and generalpurpose systems. They must use little energy and be robust to environmental conditions, while also providing common services that make it easy to write applications. In TinyOS, the current state of the art in sensor node operating systems, reusable components implement common services, but each node runs a single statically-linked system image,



making it hard to run multiple applications or incrementally update app ...

20 New architectures for financial services: Who will rob you on the digital highway?



Ton Slewe, Mark Hoogenboom

May 2004 Communications of the ACM, Volume 47 Issue 5

Publisher: ACM Press

Full text available: pdf(92.09 KB) html(28.35 KB)

Additional Information: full citation, abstract, references, index terms

Traditionally at the forefront of security awareness, financial organizations must maintain this status as they move further into the Internet realm.

Results 1 - 20 of 23

Result page: 1 2 next

The ACM Portal is published by the Association for Computing Machinery. Copyright @ 2006 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player



Subscribe (Full Service) Register (Limited Service, Free) Login

Search: © The ACM Digital Library O The Guide

+logger +location +detect +event +enable +frequency





Feedback Report a problem Satisfaction survey

Terms used logger location detect event enable frequency

Found 23 of 175,083

Sort results

by Display results relevance
expanded form

Save results to a Binder

Search Tips

Open results in a new

window

Try an <u>Advanced Search</u>
Try this search in <u>The ACM Guide</u>

Results 21 - 23 of 23

Result page: previous 1 2

Relevance scale

21 Information leakage from optical emanations



Joe Loughry, David A. Umphress

August 2002 ACM Transactions on Information and System Security (TISSEC), Volume 5
Issue 3

Publisher: ACM Press

Full text available: pdf(382.77 KB) Additional Information: full citation, abstract, references, index terms

A previously unknown form of compromising emanations has been discovered. LED status indicators on data communication equipment, under certain conditions, are shown to carry a modulated optical signal that is significantly correlated with information being processed by the device. Physical access is not required; the attacker gains access to all data going through the device, including plaintext in the case of data encryption systems. Experiments show that it is possible to intercept data under ...

Keywords: COMINT, COMSEC, EMSEC, SIGINT, TEMPEST, communication, compromising emanations, covert channel, encryption, fiber optics, information displays, light emitting diode (LED)

22 ARIES: a transaction recovery method supporting fine-granularity locking and partial





rollbacks using write-ahead logging

C. Mohan, Don Haderle, Bruce Lindsay, Hamid Pirahesh, Peter Schwarz March 1992 ACM Transactions on Database Systems (TODS), Volume 17 Issue 1

Publisher: ACM Press

Full text available: pdf(5.23 MB)

Additional Information: <u>full citation</u>, <u>abstract</u>, <u>references</u>, <u>citings</u>, <u>index</u> <u>terms</u>, <u>review</u>

DB2TM, IMS, and TandemTM systems. ARIES is applicable not only to database management systems but also to persistent object-oriented languages, recoverable file systems and transaction-based operating systems. ARIES has been implemented, to varying degrees, in IBM's OS/2TM Extended Edition Database Manager, DB2, Workstation Data Save Facility/VM, Starburst and QuickSilver, and in the University of Wisconsin's EXODUS and Gamma d ...

Keywords: buffer management, latching, locking, space management, write-ahead logging



Microprocessor systems and architectures for applications to the control and protection of electric power systems



Dale I. Rummer, Mladen Kezunovic

October 1979 Proceedings of the Second symposium on Small systems SIGSMALL/PC

Publisher: ACM Press

Full text available: Dpdf(665.50 KB) Additional Information: full citation, abstract, references

Some design concepts for microprocessor applications to the control and protection of electric power systems are presented. A formal design methodology is outlined. Present microprocessor applications to the control and protection of the electric power generation, transmission and distribution systems are summarized. These applications are generalized to provide a basis for identifying a set of "standardized application modules." A projection is made of probable future developments in microproce ...

Results 21 - 23 of 23


Result page: previous 1 2

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2006 ACM, Inc. Terms of Usage Privacy Policy Code of Ethics Contact Us

Useful downloads: Adobe Acrobat QuickTime Windows Media Player Real Player



Sign in



Results 1 - 10 of about 12 for "enable logger" detect event location frequency. (0.60 seconds)

[PDF] GM 47/GM 48

File Format: PDF/Adobe Acrobat - View as HTML SIM Detection - SIM Presence. ... in The GSM network, for example, Cell location.

information. ... enable logger information if no Flashing. Former VPPFLASH ... terraelectronica.ru/files/news/GM47.pdf - Supplemental Result - Similar pages

[PDF] GM 47/GM 48

File Format: PDF/Adobe Acrobat - View as HTML

Data Carrier Detect. Keyboard column 1. General purpose output 1 ... enable logger

information if no Flashing. Former VPPFLASH ...

terraelectronica.ru/files/news/GR47.pdf - Supplemental Result - Similar pages

IPDF1 GR47/GR48 Integrator's Manual

File Format: PDF/Adobe Acrobat - View as HTML

... Frequency Range (MHz) TX: 880-915 RX: 925-960 TX: 1710-1785 RX: 1805-1880 ... Frequency Range (MHz) TX: 824-849 RX: 869-894 TX: 1850-1910 RX: 1930-1990 ... www.eurodis.com/wireless/Doc/Datasheets/ SonyEricsson GR47-GR48%20Integrators% 20Manual%20R1A.pdf - Supplemental Result - Similar pages

[PDF] GR 47/GR 48 Technical Description

File Format: PDF/Adobe Acrobat - View as HTML

active then two events can happen. If no data is sent to the module, ... Frequency (RF) signals from the module to the external customer-. supplied antenna. ... www.eurodis.com/wireless/Doc/Datasheets/ SonyEricsson GR47-48%20Technical% 20descriptionR1A.pdf - Similar pages

[PDF] GM47 Integrators Manual.book

File Format: PDF/Adobe Acrobat - View as HTML

... 59 2.9.1 SIM Detection - SIMPRESENCE ... 109 3.14 AT*EPEE Ericsson Pin Event

www.microem.ru/pages/GSM SONYERICSSON/ sony/data/GM47%20Integrators% 20Manual%20R1C.pdf - Supplemental Result - Similar pages

[PDF] GM47 Integrators Manual.book

File Format: PDF/Adobe Acrobat

SIM Detection - SIMPRESENCE58 ... Mobile equipment

Event Reporting 110 ...

www.microem.ru/pages/GSM_SONYERICSSON/ sony/data/GM47%20Integrators%

20Manual%20R1A.pdf - Supplemental Result - Similar pages

[PDF] GM47 Integrators Manual book

File Format: PDF/Adobe Acrobat - View as HTML

... 57 2.9.1 SIM Detection - SIMPRESENCE ... 104 3.14 AT*EPEE Ericsson Pin Event

www.iberfutura.es/PDF/Manual%20GM47_GM48.pdf - Supplemental Result - Similar pages

tcllib

File Format: Unrecognized

This is a mechanism for setting hooks for particular events:.::comm::comm hook event?

+? ?Script? This uses a syntax similar to Tk's bind command. ... downloads.activestate.com/ActiveTcl/ html/8.4.9/ActiveTcl8.4.9.0.121397-html.tar.gz - Supplemental Result - Similar pages

[PDF] GM 47/GM 48

File Format: PDF/Adobe Acrobat - <u>View as HTML</u> ... cell(s) in the GSM network, for example, cell **location** information. ... 2.75 Data Carrier **Detect** 39. ... 15 **Enable logger** information if no flashing Former VPPFLASH 59 ... www.elettronicashop.com/manuali/ GM47_GM48_Technical_Description.pdf - Supplemental Result - <u>Similar pages</u>

[PDF] GR 47/GR 48 Technical Description

File Format: PDF/Adobe Acrobat - <u>View as HTML</u> ... 33 3.11.1 SIM **Detection** – SIM Presence ... **Frequency** Range (MHz) TX: 824-849 RX: 869-894 TX: 1850 ... cell(s) in the GSM network, for example, cell **location** information ... www.elettronicashop.com/manuali/ GR47-48_Technical_description.pdf - Supplemental Result - <u>Similar pages</u>

In order to show you the most relevant results, we have omitted some entries very similar to the 10 already displayed.

If you like, you can repeat the search with the omitted results included.

New! Crack the Code: Play the Da Vinci Code Quest on Google.


"enable logger" detect event location Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google

Sign in



Results 1 - 7 of 7 for "logger" detect event location enable "adjusting frequency" dynamic. (1.28 seconds)

Tip: Try removing quotes from your search to get more results.

From dieder@echo.teuto.de Mon Jan 1 10:17:00 1996 From: dieder ... But also in some cases Radiography can detect defects which can not be detected with US. ... Adjusting frequency, burst cycles and rep. rate might get round ... nde.appliedphysics.swri.edu/ pipermail/nde/1996-January.txt - 166k -Cached - Similar pages

SenTIX - Sensor Technology Information Exchange

This explosive-vapour sensor, which has a detection capability that is comparable to that of a dog, should enable extremely sensitive, miniature detection ... www.sentix.org/SearchProc.asp - 823k - Cached - Similar pages

[PDF] DIGITAL GIGAswitch GS2000 Line Card Management

File Format: PDF/Adobe Acrobat - View as HTML

... 10-10 Modifying Installation File Locations 10-34 11 Event Logging and

Reporting Overview

www.carotek.com/.../DigitalNetworkProductsGroup/ GIGAswitch%202000%20ATM-FDDI% 20Card.pdf - Supplemental Result - Similar pages

(PDF) Derwent

File Format: PDF/Adobe Acrobat

Data logging system uses low frequency radio links to detect and record ... demodulated (22) and A processor (23) records the Data in A logger unit (24). ...

https://www.thomsonscientific.jp/ products/itp/pdf/comm/ittccts23.pdf - Supplemental Result Similar pages

[PDF] DIGITAL VNswitch 900 Series Switch Management

File Format: PDF/Adobe Acrobat - View as HTML

... 10-9 Modifying Installation File Locations 10-34 Page 10. x 11 Event Logging and Reporting Overview

www.digitalnetworks.net/dr/ VNswitch/documentation/r2lde-te.pdf - Supplemental Result -Similar pages

[PDF] Catalog 2003/04


File Format: PDF/Adobe Acrobat

Precision uA measurement. • Dynamic current pulse measurement. • Exceptional sourcing and current sinking. • Automatic detection of open sense connections ... www.home.agilent.com/cgi-bin/pub/agilent/reuse/ cp DocumentRedirector.jsp? LANGUAGE CODE=eng&ID=368871&... - Similar pages

asterisk-users

Distinctive ring detection using SIP - Broadvoice addon line detection (Luki) ... Adjusting frequency asterisk sends NOTIFY's to ATA's at for MWI., ... threebit.net/mail-archive/asterisk-users/thd.html - Similar pages

Sign in



Web Results 1 - 3 of about 6 for "enable logger" detect event location enable adjust frequency dynamic. (0.77 sec

Tip: Try removing quotes from your search to get more results.

[PDF] GM47 Integrators Manual book

File Format: PDF/Adobe Acrobat - <u>View as HTML</u> ... 59 2.9.1 SIM **Detection** - SIMPRESENCE ... 3.24 AT+CMER Mobile Equipment **Event** Reporting ... 4.6 AT*E2PHFB Portable Handsfree Button Sense **Enable**.... ... www.microem.ru/pages/GSM_SONYERICSSON/ sony/data/GM47%20Integrators%

[PDF] GM47 Integrators Manual.book

20Manual%20R1C.pdf - Supplemental Result - Similar pages

File Format: PDF/Adobe Acrobat

Mobile equipment Event Reporting 110. 3.26 at+CPAS ... Portable

Handsfree Button Sense enable...... 133 ...

www.microem.ru/pages/GSM_SONYERICSSON/ sony/data/GM47%20Integrators%

20Manual%20R1A.pdf - Supplemental Result - Similar pages

tcllib

File Format: Unrecognized

This is a mechanism for setting hooks for particular events::::comm::comm hook event?

+? ?Script? This uses a syntax similar to Tk's bind command. ...

downloads.activestate.com/ActiveTcl/ html/8.4.9/ActiveTcl8.4.9.0.121397-html.tar.gz -

Supplemental Result - Similar pages

In order to show you the most relevant results, we have omitted some entries very similar to the 3 already displayed.

If you like, you can repeat the search with the omitted results included.

New! Crack the Code: Play the Da Vinci Code Quest on Google.

"enable logger" detect event location Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google



Home | Login | Logout | Access Information | Alerts | Sitemap

Welcome United States Patent and Trademark Office

☐ Search Results **BROWSE SEARCH IEEE XPLORE GUIDE** SUPPOF Results for "((logger<in>metadata) <and> (adjust<in>metadata))<and> (frequency<..." ☑e-mail 🚇 printer Your search matched 1 of 1344017 documents. A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order. » Search Options View Session History **Modify Search** New Search ((logger<in>metadata) <and>(adjust<in>metadata))<and>(frequency<in>metad Check to search only within this results set » Key Display Format: © Citation C Citation & Abstract **IEEE JNL** IEEE Journal or Magazine view selected items Select All Deselect All **IEE JNL** IEE Journal or Magazine **IEEE CNF** IEEE Conference Proceeding 1. Conditional Sampling of Oceanic Variability with Microprocessor-Controlled Instrumentation **IEE CNF** IEE Conference Proceeding Irish, J.; Brown, W.; Woodbury, M.;

Volume 13, Sep 1981 Page(s):484 - 488

AbstractPlus | Full Text: PDF(424 KB) | IEEE CNF

OCEANS

Rights and Permissions

indexed by #Inspec

IEEE STD IEEE Standard

Help Contact Us Privacy & Security © Copyright 2006 IEEE - All Rights



Home | Login | Logout | Access Information | Alerts | Sitemap

Welcome United States Patent and Trademark Office

☐ Search Results	BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPOF

Results for "((logger <in>metadata) <and> (frequency<in>metadata))</in></and></in>
Your search matched 25 of 1344017 documents.

⊠e-mail 🚇 printer

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search O	ptions	Mod	dify Search			
View Session History New Search		((logger <in>metadata) <and> (frequency<in>metadata)) Check to search only within this results set</in></and></in>				
	IEEE Journal or	<u></u>				
IEEE JNL	Magazine	t vie	ew selected items Select All Deselect All			
IEE JNL	IEE Journal or Magazine	<u></u>	Data loggers for geophysical research			
IEEE CNF	IEEE Conference Proceeding	1. Data loggers for geophysical research Reynolds, R.; Halpren, D.; OCEANS				
IEE CNF	IEE Conference Proceeding		Volume 5, Sep 1973 Page(s):163 - 163			
IEEE STD IEEE Standard			AbstractPlus Full Text: PDF(32 KB) IEEE CNF Rights and Permissions			
			 Model identification of a micro air vehicle in loitering flight based on attitive attition. Huaiyu Wu; Dong Sun; Zhaoying Zhou; Robotics, IEEE Transactions on [see also Robotics and Automation, IEEE Transactions on [see also Robotics and IEEE] 	Ť		
			AbstractPlus References Full Text: PDF(632 KB) IEEE JNL Rights and Permissions			
		П	 Packaging concept for a miniaturized wirelessly interrogable temperature Mundlein, M.; Nicolics, J.; Brandl, M.; Electronics Technology: Meeting the Challenges of Electronics Technology Pro 27th International Spring Seminar on Volume 1, 13-16 May 2004 Page(s):68 - 73 vol.1 			
			AbstractPlus Full Text: PDF(397 KB) IEEE CNF Rights and Permissions			
		Ö	 A configurable multi-sensor tripod for the study of near-bottom ocean pre Birch, R.; Hill, P.R.; Clarke, M.; Lemon, D.; Fissel, D.; OCEANS 2003. Proceedings Volume 4, 22-26 Sept. 2003 Page(s):2254 - 2260 Vol.4 Digital Object Identifier 10.1109/OCEANS.2003.1282834 	oces		
			AbstractPlus Full Text: PDF(521 KB) IEEE CNF Rights and Permissions			
		n	 Computer analysis of photo-acoustic signals to aid development of a nor glucose sensor Williams, K.; Wertheim, D.; EUROCON 2003. Computer as a Tool. The IEEE Region 8 Volume 2, 22-24 Sept. 2003 Page(s):202 - 203 vol.2 Digital Object Identifier 10.1109/EURCON.2003.1248182 	n-inva		

AbstractPlus | Full Text: PDF(220 KB) | IEEE CNF Rights and Permissions 6. A posture monitoring system using accelerometers Nevins, R.J.; Durdle, N.G.; Raso, V.J.; Electrical and Computer Engineering, 2002. IEEE CCECE 2002. Canadian Conference of Volume 2, 12-15 May 2002 Page(s):1087 - 1092 vol.2 Digital Object Identifier 10.1109/CCECE.2002.1013098 AbstractPlus | Full Text: PDF(569 KB) | IEEE CNF Rights and Permissions 7. Classification of acceleration waveform in a continuous walking record П Sekine, M.; Tamura, T.; Ogawa, M.; Togawa, T.; Fukui, Y.; Engineering in Medicine and Biology Society, 1998. Proceedings of the 20th Annual International Conference of the IEEE Volume 3, 29 Oct.-1 Nov. 1998 Page(s):1523 - 1526 vol.3 Digital Object Identifier 10.1109/IEMBS.1998.747177 AbstractPlus | Full Text: PDF(296 KB) IEEE CNF Rights and Permissions 8. Preliminary results of anomalous propagation activity at 42 GHz over a coastal pat Dilworth, I.J.; Antennas and Propagation, 1995. ICAP '95. Ninth International Conference on (Conf. Pu 407) Volume 2. 4-7 April 1995 Page(s):208 - 211 vol.2 AbstractPlus | Full Text: PDF(320 KB) IEE CNF 9. IEE Colloquium 'Low Frequency Power Measurement and Analysis' (Digest No.19§ Low Frequency Power Measurement and Analysis (Digest No. 1994/203), IEE Colloquiu 2 Nov. 1994 AbstractPlus | Full Text: PDF(56 KB) IEE CNF 10. Central testing and site commissioning for a new, user programmed, 33 kV feeder П protection Mackrell, A.J.; Postlethwaite, H.R.; Rogers, W.J.S.; Sanderson, J.V.H.; Wen An; Developments in Power System Protection, 1993., Fifth International Conference on 1993 Page(s):220 - 223 AbstractPlus | Full Text: PDF(308 KB) | IEE CNF 11. A multi-frequency acoustic backscatter recorder for suspended sediment transport studies Pearson, N.D.; Thomas, M.R.; Monitoring the Sea, IEE Colloquium on 18 Dec 1990 Page(s):1/1 - 1/4 AbstractPlus | Full Text: PDF(232 KB) IEE CNF 12. HF propagation over a trans-auroral path Warrington, E.M.; Jones, T.B.; Orrell, S.M.; Antennas and Propagation, 1989. ICAP 89., Sixth International Conference on (Conf. Pt No.301) 4-7 Apr 1989 Page(s):19 - 22 vol.2 AbstractPlus | Full Text: PDF(224 KB) IEE CNF 13. Conditional Sampling of Oceanic Variability with Microprocessor-Controlled Instrumentation Irish, J.; Brown, W.; Woodbury, M.; **OCEANS** Volume 13, Sep 1981 Page(s):484 - 488

AbstractPlus | Full Text: PDF(424 KB) | IEEE CNF Rights and Permissions 14. A Digital Survey Fathometer® Providing a Chart Display and a Digital Output Hogan, J.; **OCEANS** Volume 10, Sep 1978 Page(s):42 - 47 AbstractPlus | Full Text: PDF(432 KB) IEEE CNF Rights and Permissions 15. Impact of Event Logger on Causal Message Logging Protocols for Fault Tolerant I Bouteiller, A.; Collin, B.; Herault, T.; Lemarinier, P.; Cappello, F.; Parallel and Distributed Processing Symposium, 2005. Proceedings. 19th IEEE Internati 04-08 April 2005 Page(s):97 - 97 Digital Object Identifier 10.1109/IPDPS.2005.249 AbstractPlus | Full Text: PDF(232 KB) | IEEE CNF Rights and Permissions 16. Assessment of gait parameter in hemiplegic patients by accelerometry П Sekine, M.; Abe, Y.; Sekimoto, M.; Higashi, Y.; Fujimoto, T.; Tamura, T.; Fukui, Y.; Engineering in Medicine and Biology Society, 2000. Proceedings of the 22nd Annual International Conference of the IEEE Volume 3, 23-28 July 2000 Page(s):1879 - 1882 vol.3 Digital Object Identifier 10.1109/IEMBS.2000.900456 AbstractPlus | Full Text: PDF(284 KB) | IEEE CNF Rights and Permissions 17. Simultaneous measurement of pressure, temperature, and conductivity with coun-Г Williams, A., III; Fraenkel, N.R.; OCEANS '95. MTS/IEEE. 'Challenges of Our Changing Global Environment'. Conference Proceedings. Volume 1, 9-12 Oct. 1995 Page(s):626 - 630 vol.1 Digital Object Identifier 10.1109/OCEANS.1995.526902 AbstractPlus | Full Text: PDF(320 KB) IEEE CNF Rights and Permissions 18. Adaptive storage-automatic data selection and storage in a harmonics power logg Outram, J.D.; Low Frequency Power Measurement and Analysis (Digest No. 1994/203), IEE Colloquiu 2 Nov. 1994 Page(s):5/1 - 5/6 AbstractPlus | Full Text: PDF(328 KB) | IEE CNF 19. Improved signal processing and data acquisition electronics for the DSL-120 Rognstad, M.R.; Naiman, M.; Oceans '02 MTS/IEEE Volume 4, 29-31 Oct. 2002 Page(s):2264 - 2267 vol.4 Digital Object Identifier 10.1109/OCEANS.2002.1191982 AbstractPlus | Full Text: PDF(420 KB) | IEEE CNF Rights and Permissions 20. Remote data collection of VRLA batteries at BellSouth distributed power sites Maeda, M.; Ohara, T.; Hurst, K.W.; Viator, J.; Telecommunications Energy Conference, 2002. INTELEC. 24th Annual International 29 Sept.-3 Oct. 2002 Page(s):66 - 73 Digital Object Identifier 10.1109/INTLEC.2002.1048636 AbstractPlus | Full Text: PDF(546 KB) | IEEE CNF Rights and Permissions

21. Transducer interface for multichannel wired telemetry in high temperature enviror Ambrus, D.; Bilas, V.; Lackovic, I.; Electronics, Circuits and Systems, 2002. 9th International Conference on Volume 1, 15-18 Sept. 2002 Page(s):219 - 222 vol.1 Digital Object Identifier 10.1109/ICECS.2002.1045373 AbstractPlus Full Text: PDF(366 KB) IEEE CNF
Rights and Permissions
22. Informational technology for prognosis of oil and gas deposits on the base of pha frequency characteristics of reflected waves Ivanchenkov, V.P.; Vylegzhanin, O.N.; Stepanov, D.J.; Orlov, O.V.; Science and Technology, 2000. KORUS 2000. Proceedings. The 4th Korea-Russia Intel Symposium on Volume 2, 27 June-1 July 2000 Page(s):124 - 127 vol. 2 Digital Object Identifier 10.1109/KORUS.2000.866007
AbstractPlus Full Text: PDF(268 KB) IEEE CNF Rights and Permissions
23. Accumulator design for NCO application Sheng Shimin; Liu Yue; ASIC, 1996. 2nd International Conference on 21-24 Oct. 1996 Page(s):288 - 290 Digital Object Identifier 10.1109/ICASIC.1996.562809 AbstractPlus Full Text: PDF(224 KB) IEEE CNF Rights and Permissions
24. A modern PC-based sidescan sonar acquisition and display system Clapp, D.L.; OCEANS '93. 'Engineering in Harmony with Ocean'. Proceedings 18-21 Oct. 1993 Page(s):I402 vol.1 Digital Object Identifier 10.1109/OCEANS.1993.325971 AbstractPlus Full Text: PDF(60 KB) IEEE CNF Rights and Permissions
25. A generic ASIC and DSP based ambulatory electrophysiological recorder Hayes-Gill, B.R.; Cardoso, A.C.; Meinke, N.; Crowe, J.A.; Francon, B.; Harrison, A.; <u>Data Logging of Physiological Signals, IEE Colloquium on</u> 23 Nov 1995 Page(s):9/1 - 9/3 <u>AbstractPlus</u> Full Text: <u>PDF(216 KB)</u> IEE CNF

Indexed by **Finspec**

Help Contact Us Privacy & Security © Copyright 2006 IEEE - All Rights